Author index to volume 229

Ahrén, B., P. Rorsman and P.-O. Berggren, Galanin and the endocrine pancreas 229 (1988) 233
Anderson, W.D. see A.L. Fink 229 (1988) 123
Antonino, L. see A.L. Fink 229 (1988) 123
Argyroudi-Akoyunoglou, J. see G. Tzinas 229 (1988) 135
Ary, M.B., P.R. Shewry and M. Richardson, The amino acid sequence of a cereal Bowman-Birk type trypsin inhibitor from seeds of Jobs' tears (*Coix lachryma-jobi* L.) 229 (1988) 111
Azzarone, B. see G. Carloni 229 (1988) 333

Baas, F. and P. Borst, The tissue dependent expression of hamster P-glycoprotein genes 229 (1988) 329
Baici, A. see J. Dodt 229 (1988) 87
Barberis, C. see J. Elands 229 (1988) 251
Behravan, G. see C. Forsman 229 (1988) 360
Berggren, P.-O. see B. Ahrén 229 (1988) 233
Berggren, P.-O. see T. Nilsson 229 (1988) 211
Berkaloff, C. see L. Caron 229 (1988) 11
Bertrand, F. see B. Hermelin 229 (1988) 161
Biswas, T., F.W. Miller and P.H. Plotz, Stimulation and partial stabilization of human histidyl-tRNA synthetase by hemoglobin 229 (1988) 203
Blake, C.C.F. see M.W. Parker 229 (1988) 377
Blanquet, P.R., S. Paillard and Y. Courtois, Influence of fibroblast growth factor on phosphorylation and activity of a 34 kDa lipocortin-like protein in bovine epithelial lens cells 229 (1988) 183
Bliss, J.G. see J.C. Weaver 229 (1988) 30
Bodley, J.W. see S.P. Miller 229 (1988) 388
Bonicel, J. see P. Rouimi 229 (1988) 171
Borst, P. see F. Baas 229 (1988) 329
Boynton, A.L. see T. Nilsson 229 (1988) 211
Bragg, P.D. see E.G. Sedgwick 229 (1988) 127
Brennan, S.O. and R.J. Peach, Calcium-dependent KEX2-like protease found in hepatic secretory vesicles converts proalbumin to albumin 229 (1988) 167
Brossi, A. see H.J.C. Yeh 229 (1988) 82
Buchanan, S.K., G.C. Dismukes and R.C. Prince, The redox potential of the primary quinone Q_A of bacterial photosynthesis is independent of the divalent metal ion 229 (1988) 16
Burchell, A. see I.D. Waddell 229 (1988) 179
Bushueva, T.L. and A.G. Tonevitsky, Similarity of protein conformation at low pH and high temperature observed for B-chains of two plant toxins: ricin and mistletoe lectin 1 229 (1988) 119

Cadd, G.G. see O. Øyen 229 (1988) 391
Cameron, R.K., A.M. Jarjour, P.P. Tolias and M.S. DuBow, The bacteriophage Mu transposase protein can form high-affinity protein-DNA complexes with the ends of transposable elements of the Tn *3* family 229 (1988) 283
Campbell, D.G. see A.J. Garton 229 (1988) 68
Carles, C., J.-C. Huet and B. Ribadeau-Dumas, A new strategy for primary structure determination of proteins: application to bovine β-casein 229 (1988) 265
Carloni, G., A.-M. Venuat, L. Daya-Grosjean, P. Nardeux, J.S. Rhim and B. Azzarone, Integration and loss of a single *v-Ki-ras* gene affects tumorigenic potential of human osteosarcoma cells 229 (1988) 333
Caron, L., R. Remy and C. Berkaloff, Polypeptide composition of light-harvesting complexes from some brown algae and diatoms 229 (1988) 11
Castillo, G. see I. Zaror 229 (1988) 77
Chen, K.Y. and Q.P. Dou, NAD^+ stimulated the spermidine-dependent hypusine formation on the 18 kDa protein in cytosolic lysates derived from NB-15 mouse neuroblastoma cells 229 (1988) 325
Cherqui, G. see B. Hermelin 229 (1988) 161
Chou, H.-W., D. Harrell, R. Forough and K. Watabe, Binding of tissue-specific factors to the enhancer sequence of hepatitis B virus 229 (1988) 349
Chrzanowska, M. see H.J.C. Yeh 229 (1988) 82
Clore, G.M. see M. Nilges 229 (1988) 317
Cohen, P. see A.J. Garton 229 (1988) 68
Comerford, J.G., A.P. Dawson and M.J. Selwyn, Respiration driven Cl^- uptake by submitochondrial particles 229 (1988) 142
Cotton, N.P.J. and J.B. Jackson, Energy coupling to ATP synthesis and pyridine nucleotide transhydrogenase in chromatophores from photosynthetic bacteria: A 'dual-consumer' test for localised interactions with electron transport components 229 (1988) 303
Courtois, Y. see P.R. Blanquet 229 (1988) 183
Crapo, J.D. see Y.-S. Ho 229 (1988) 256

Dawson, A.P. see J.G. Comerford 229 (1988) 142
Daya-Grosjean, L. see G. Carloni 229 (1988) 333
Dayer, J.M. see R. Kroggel 229 (1988) 59
De Caro, A. see P. Rouimi 229 (1988) 171
De Caro, J. see P. Rouimi 229 (1988) 171
De Kloet, E.R. see J. Elands 229 (1988) 251
De la Bastie, D., C. Wisnewsky, K. Schwartz and A.-M. Lompré, $(Ca^{2+}+Mg^{2+})$-dependent ATPase mRNA from smooth muscle sarcoplasmic reticulum differs from that in cardiac and fast skeletal muscles 229 (1988) 45
Delicado, E.G., M. Torres and M.T. Miras-Portugal, Glucose transporters in chromaffin cells: subcellular distribution and characterization 229 (1988) 35

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/88/$3.50 © 1988 Federation of European Biochemical Societies

Dér, A., R. Tóth-Boconádi and L. Keszthelyi, Counterions and the bacteriorhodopsin proton pump 229 (1988) 313
Dhathathreyan, A. see Z. Kozarac 229 (1988) 372
Dismukes, G.C. see S.K. Buchanan 229 (1988) 16
Dodds, A.W. see L. Hsiung 229 (1988) 21
Dodt, J., S. Köhler and A. Baici, Interaction of site specific hirudin variants with α-thrombin 229 (1988) 87
Dou, Q.P. see K.Y. Chen 229 (1988) 325
DuBow, M.S. see R.K. Cameron 229 (1988) 283

Elands, J., C. Barberis, S. Jard, B. Lammek, M. Manning, W.H. Sawyer and E.R. de Kloet, ^{125}I-d(CH_2)$_5$[Tyr(Me)^2,Tyr(NH_2)^9]AVP: iodination and binding characteristics of a vasopressin receptor ligand 229 (1988) 251
Emori, Y. see M. Minami 229 (1988) 279
Exton, J.H. see C.J. Lynch 229 (1988) 54

Falk, G. and R.A. Shiells, Block of light responses of salamander rods by pertussis toxin and reversal by nicotinamide 229 (1988) 131
Ferrari, E. see F. Focher 229 (1988) 6
Fink, A.L., W.D. Anderson and L. Antonino, Trapping the fast-refolding state of ribonuclease A at subzero temperatures 229 (1988) 123
Flatmark, T. see M. Grønberg 229 (1988) 40
Focher, F., E. Ferrari, S. Spadari and U. Hübscher, Do DNA polymerases δ and α act coordinately as leading and lagging strand replicases? 229 (1988) 6
Fonyó, A. see G.L. Lukács 229 (1988) 219
Forough, R. see H.-W. Chou 229 (1988) 349
Forsman, C., G. Behravan, B.-H. Jonsson, Z. Liang, S. Lindskog, X. Ren, J. Sandström and K. Wallgren, Histidine 64 is not required for high CO_2 hydration activity of human carbonic anhydrase II 229 (1988) 360
Fothergill-Gilmore, L.A. see M.F. White 229 (1988) 383
Friedrich, K., C.O. Gualerzi, M. Lammi, M.A. Losso and C.L. Pon, Proteins from the prokaryotic nucleoid: Interaction of nucleic acids with the 15 kDa *Escherichia coli* histone-like protein H-NS 229 (1988) 197
Fujimoto, S. see M. Kikugawa 229 (1988) 345
Fukuhara, Y., Y. Ise and K. Kakinuma, Immunological studies on the respiratory burst oxidase of pig blood neutrophils 229 (1988) 150
Fukui, T. see T. Yagami 229 (1988) 261

Garcia, I. see B. Hermelin 229 (1988) 161
Garton, A.J., D.G. Campbell, P. Cohen and S.J. Yeaman, Primary structure of the site on bovine hormone-sensitive lipase phosphorylated by cyclic AMP-dependent protein kinase 229 (1988) 68
Gebhard, W., T. Schreitmüller, K. Hochstrasser and E. Wachter, Complementary DNA and derived amino acid sequence of the precursor of one of the three protein components of the inter-α-trypsin inhibitor complex 229 (1988) 63
Gerisch, G. see A. Müller-Taubenberger 229 (1988) 273
Gersonde, K. see S.-H. Lin 229 (1988) 367
Gómez, I. see I. Zaror 229 (1988) 77
Grønberg, M. and T. Flatmark, Inhibition of the H^+-ATPase in bovine adrenal chromaffin granule ghosts by diethylstilbestrol: Evidence for a tight coupling between ATP hydrolysis and proton translocation 229 (1988) 40
Gronenborn, A.M. see M. Nilges 229 (1988) 317
Gualberto, A. see F. Sobrino 229 (1988) 91
Gualerzi, C.O. see K. Friedrich 229 (1988) 197

Hansson, V. see O. Øyen 229 (1988) 391
Harrell, D. see H.-W. Chou 229 (1988) 349
Harris, D.A. see P.J. Jackson 229 (1988) 224
Harrison, G.I. see J.C. Weaver 229 (1988) 30
Hayakawa, T. see Y. Okada 229 (1988) 157
Hermelin, B., G. Cherqui, F. Bertrand, D. Wicek, A. Paul, I. Garcia and J. Picard, Phorbol ester-induced protein kinase C translocation and lysosomal enzyme release in normal and cystic fibrosis fibroblasts 229 (1988) 161
Herrmann, E. and K.H. Jakobs, Stimulation and inhibition of human platelet membrane high-affinity GTPase by neomycin 229 (1988) 49
Hibasami, H., M. Kawase, T. Tsukada, S. Maekawa, M. Sakurai and K. Nakashima, 2-Mercaptoethylamine, a competitive inhibitor of spermidine synthase in mammalian cells 229 (1988) 243
Ho, Y.-S. and J.D. Crapo, Isolation and characterization of complementary DNAs encoding human manganese-containing superoxide dismutase 229 (1988) 256
Hochstrasser, K. see W. Gebhard 229 (1988) 63
Hooper, N.M. and A.J. Turner, Ectoenzymes of the kidney microvillar membrane: Aminopeptidase P is anchored by a glycosylphosphatidylinositol moiety 229 (1988) 340
Hsiung, L., A.W. Dodds, D.W. Mason and K.B.M. Reid, A monoclonal antibody to Clq which appears to interact with $C\bar{1}r_2C\bar{1}s_2$-binding site 229 (1988) 21
Hübscher, U. see F. Focher 229 (1988) 6
Huet, J.-C. see C. Carles 229 (1988) 265

Ise, Y. see Y. Fukuhara 229 (1988) 150
Itoh, N., K. Yayama and H. Okamoto, Stimulation of hepatic T-kininogen production by interferon 229 (1988) 247
Izui, K. see S. Yanagisawa 229 (1988) 107

Jackson, J.B. see N.P.J. Cotton 229 (1988) 303
Jackson, P.J. and D.A. Harris, The mitochondrial ATP synthase inhibitor protein binds near the C-terminus of the F_1 β-subunit 229 (1988) 224
Jaeger, E. see A. Müller-Taubenberger 229 (1988) 273
Jahnsen, T. see O. Øyen 229 (1988) 391

Jakobs, K.H. see E. Herrmann 229 (1988) 49
Jard, S. see J. Elands 229 (1988) 251
Jarjour, A.M. see R.K. Cameron 229 (1988) 283
Jeppesen, C. see W. Zhen 229 (1988) 73
Jonsson, B.-H. see C. Forsman 229 (1988) 360

Kakinuma, K. see Y. Fukuhara 229 (1988) 150
Kapus, A. see G.L. Lukács 229 (1988) 219
Katsuki, H. see S. Yanagisawa 229 (1988) 107
Kawasaki, H. see M. Minami 229 (1988) 279
Kawase, M. see H. Hibasami 229 (1988) 243
Keszthelyi, L. see A. Dér 229 (1988) 313
Kikugawa, M., S. Fujimoto, C. Mizota and N. Tamaki, Bisfunction of propionic acid on purified rat liver β-ureidopropionase 229 (1988) 345
Kishi, J. see Y. Okada 229 (1988) 157
Knox, R.S. see S. Lin 229 (1988) 1
Köhler, S. see J. Dodt 229 (1988) 87
Kozarac, Z., A. Dhathathreyan and D. Möbius, Adsorption of cytochrome *c* to phospholipid monolayers studied by reflection spectroscopy 229 (1988) 372
Kramer, W., R. Oekonomopulos, J. Pünter and H.-D. Summ, Direct photoaffinity labeling of the putative sulfonylurea receptor in rat β-cell tumor membranes by [^{3}H]glibenclamide 229 (1988) 355
Krebs, E.G. see O. Øyen 229 (1988) 391
Kroggel, R., M. Martin, V. Pingoud, J.M. Dayer and K. Resch, Two-chain structure of the interleukin 1 receptor 229 (1988) 59
Kuang, W.-J. see B. Malfroy 229 (1988) 206
Kurihara, T., M. Ueda and A. Tanaka, Occurrence and possible roles of acetoacetyl-CoA thiolase and 3-ketoacyl-CoA thiolase in peroxisomes of an *n*-alkane-grown yeast, *Candida tropicalis* 229 (1988) 215

Lai, C.-S. see J.M.K. Slane 229 (1988) 363
Lammek, B. see J. Elands 229 (1988) 251
Lammi, M. see K. Friedrich 229 (1988) 197
Larsson, C., S. Widell and M. Sommarin, Inside-out plant plasma membrane vesicles of high purity obtained by aqueous two-phase partitioning 229 (1988) 289
Liang, Z. see C. Forsman 229 (1988) 360
Lin, S. and R.S. Knox, Applications of a CP-II model to excitation transfer experiments on light-harvesting chlorophyll *a*/*b*-protein complexes 229 (1988) 1
Lin, S.-H., N.-T. Yu and K. Gersonde, Resonance Raman evidence for an unusually strong exogenous ligand–metal bond in a monomeric nitrosyl manganese hemoglobin 229 (1988) 367
Lindsay, J.G. see I.D. Waddell 229 (1988) 179
Lindskog, S. see C. Forsman 229 (1988) 360
Lohse, D. see H. Strotmann 229 (1988) 308
Lompré, A.-M. see D. de la Bastie 229 (1988) 45
Losso, M.A. see K. Friedrich 229 (1988) 197
Lukács, G.L., A. Kapus and A. Fonyó, Parallel measurement of oxoglutarate dehydrogenase activity and matrix free Ca^2 in fura-2-loaded heart mitochondria 229 (1988) 219
Lynch, C.J., S.J. Taylor, J.A. Smith and J.H. Exton, Formation of the high-affinity agonist state of the α_1-adrenergic receptor at cold temperatures does not require a G-protein 229 (1988) 54

Maekawa, S. see H. Hibasami 229 (1988) 243
Malfroy, B., W.-J. Kuang, P.H. Seeburg, A.J. Mason and P.R. Schofield, Molecular cloning and amino acid sequence of human enkephalinase (neutral endopeptidase) 229 (1988) 206
Malkin, R. see R.M. Wynn 229 (1988) 293
Manning, M. see J. Elands 229 (1988) 251
Martin, M. see R. Kroggel 229 (1988) 59
Mason, A.J. see B. Malfroy 229 (1988) 206
Mason, D.W. see L. Hsiung 229 (1988) 21
Matthies, H.J.G., H.C. Palfrey and R.J. Miller, Calmodulin- and protein phosphorylation-independent release of catecholamines from PC-12 cells 229 (1988) 238
McKnight, G.S. see O. Øyen 229 (1988) 391
Michel, S. see R. Schmidt 229 (1988) 193
Miller, F.W. see T. Biswas 229 (1988) 203
Miller, R.J. see H.J.G. Matthies 229 (1988) 238
Miller, S.P. and J.W. Bodley, The ribosomes of *Aspergillus giganteus* are sensitive to the cytotoxic action of α-sarcin 229 (1988) 388
Minami, M., Y. Minami, Y. Emori, H. Kawasaki, S. Ohno, K. Suzuki, N. Ohishi, T. Shimizu and Y. Seyama, Expression of human leukotriene A_4 hydrolase cDNA in *Escherichia coli* 229 (1988) 279
Minami, Y. see M. Minami 229 (1988) 279
Miras-Portugal, M.T. see E.G. Delicado 229 (1988) 35
Mizota, C. see M. Kikugawa 229 (1988) 345
Möbius, D. see Z. Kozarac 229 (1988) 372
Mosher, D.F. see J.M.K. Slane 229 (1988) 363
Mourant, J.R. see J.C. Weaver 229 (1988) 30
Müller-Taubenberger, A., M. Westphal, E. Jaeger, A. Noegel and G. Gerisch, Complete cDNA sequence of a *Dictyostelium* ubiquitin with a carboxy-terminal tail and identification of the protein using an anti-peptide antibody 229 (1988) 273

Nagase, H. see Y. Okada 229 (1988) 157
Nakanishi, I. see Y. Okada 229 (1988) 157
Nakashima, K. see H. Hibasami 229 (1988) 243
Nardeux, P. see G. Carloni 229 (1988) 333
Neupert, W. see T. Söllner 229 (1988) 25
Nielsen, J.H. see C. Ørskov 229 (1988) 175
Nielsen, P.E. see W. Zhen 229 (1988) 73
Nilges, M., G.M. Clore and A.M. Gronenborn, Determination of three-dimensional structures of proteins from interproton distance data by hybrid distance geometry-dynamical simulated annealing calculations 229 (1988) 317

Nilsson, T., J. Zwiller, A.L. Boynton and P.-O. Berggren, Heparin inhibits IP_3-induced Ca^{2+} release in permeabilized pancreatic β-cells 229 (1988) 211
Noegel, A. see A. Müller-Taubenberger 229 (1988) 273

Oekonomopulos, R. see W. Kramer 229 (1988) 355
Ohishi, N. see M. Minami 229 (1988) 279
Ohno, S. see M. Minami 229 (1988) 279
Okada, Y., S. Watanabe, I. Nakanishi, J. Kishi, T. Hayakawa, W. Watorek, J. Travis and H. Nagase, Inactivation of tissue inhibitor of metalloproteinases by neutrophil elastase and other serine proteinases 229 (1988) 157
Okamoto, H. see N. Itoh 229 (1988) 247
Ørskov, C. and J.H. Nielsen, Truncated glucagon-like peptide-1 (proglucagon 78–107 amide), an intestinal insulin-releasing peptide, has specific receptors on rat insulinoma cells (RIN 5AH) 229 (1988) 175
Øyen, O., J.D. Scott, G.G. Cadd, G.S. McKnight, E.G. Krebs, V. Hansson and T. Jahnsen, A unique mRNA species for a regulatory subunit of cAMP-dependent protein kinase is specifically induced in haploid germ cells 229 (1988) 391

Paillard, S. see P.R. Blanquet 229 (1988) 183
Palfrey, H.C. see H.J.G. Matthies 229 (1988) 238
Parker, M.W. and C.C.F. Blake, Iron- and manganese-containing superoxide dismutases can be distinguished by analysis of their primary structures 229 (1988) 377
Paul, A. see B. Hermelin 229 (1988) 161
Peach, R.J. see S.O. Brennan 229 (1988) 167
Pfanner, N. see T. Söllner 229 (1988) 25
Picard, J. see B. Hermelin 229 (1988) 161
Pingoud, V. see R. Kroggel 229 (1988) 59
Pintado, E. see F. Sobrino 229 (1988) 91
Piškur, J., A 5 kb intergenic region containing *oril* in the mitochondrial DNA of *Saccharomyces cerevisiae* is dispensable for expression of the respiratory phenotype 229 (1988) 145
Plotz, P.H. see T. Biswas 229 (1988) 203
Pon, C.L. see K. Friedrich 229 (1988) 197
Powell, K.T. see J.C. Weaver 229 (1988) 30
Prince, R.C. see S.K. Buchanan 229 (1988) 16
Pünter, J. see W. Kramer 229 (1988) 355

Reichert, U. see R. Schmidt 229 (1988) 193
Reid, K.B.M. see L. Hsiung 229 (1988) 21
Remy, R. see L. Caron 229 (1988) 11
Ren, X. see C. Forsman 229 (1988) 360
Resch, K. see R. Kroggel 229 (1988) 59
Rhim, J.S. see G. Carloni 229 (1988) 333
Ribadeau-Dumas, B. see C. Carles 229 (1988) 265
Richardson, M. see M.B. Ary 229 (1988) 111
Rickles, R.J. and S. Strickland, Tissue plasminogen activator mRNA in murine tissues 229 (1988) 100
Rorsman, P. see B. Ahrén 229 (1988) 233
Rouimi, P., J. de Caro, J. Bonicel, M. Rovery and A. de Caro, The disulfide bridges of the immunoreactive forms of human pancreatic stone protein isolated from pancreatic juice 229 (1988) 171
Rovery, M. see P. Rouimi 229 (1988) 171

Sakurai, M. see H. Hibasami 229 (1988) 243
Sandström, J. see C. Forsman 229 (1988) 360
Sawyer, W.H. see J. Elands 229 (1988) 251
Schickler, H. see M. Schönfeld 229 (1988) 298
Schmidt, R., S. Michel, B. Shroot and U. Reichert, Plasma membrane transglutaminase and cytosolic transglutaminase form distinct envelope-like structures in transformed human keratinocytes 229 (1988) 193
Schofield, P.R. see B. Malfroy 229 (1988) 206
Schönfeld, M. and H. Schickler, Modes of action of uncouplers in thylakoids: I. Proton conduction characteristics 229 (1988) 298
Schreitmüller, T. see W. Gebhard 229 (1988) 63
Schroeder, F. see W.D. Sweet 229 (1988) 188
Schwartz, K. see D. de la Bastie 229 (1988) 45
Scott, J.D. see O. Øyen 229 (1988) 391
Sedgwick, E.G. and P.D. Bragg, The fluorescence intensity of the lipophilic probe *N*-phenyl-1-naphthylamine responds to the oxidation-reduction state of purified *Escherichia coli* cytochrome *o* incorporated into phospholipid vesicles 229 (1988) 127
Seeburg, P.H. see B. Malfroy 229 (1988) 206
Selwyn, M.J. see J.G. Comerford 229 (1988) 142
Seyama, Y. see M. Minami 229 (1988) 279
Shewry, P.R. see M.B. Ary 229 (1988) 111
Shiells, R.A. see G. Falk 229 (1988) 131
Shigesada, K. see S. Yanagisawa 229 (1988) 107
Shimizu, T. see M. Minami 229 (1988) 279
Shroot, B. see R. Schmidt 229 (1988) 193
Slane, J.M.K., D.F. Mosher and C.-S. Lai, Conformational change in thrombospondin induced by removal of bound Ca^{2+}: A spin label approach 229 (1988) 363
Smith, J.A. see C.J. Lynch 229 (1988) 54
Sobrino, F., A. Gualberto and E. Pintado, Regulation of fructose 2,6-bisphosphate levels in cold-acclimated brown adipose tissue of rat 229 (1988) 91
Söllner, T., N. Pfanner and W. Neupert, Mitochondrial protein import: differential recognition of various transport intermediates by antibodies 229 (1988) 25
Sommarin, M. see C. Larsson 229 (1988) 289
Spadari, S. see F. Focher 229 (1988) 6
Strickland, S. see R.J. Rickles 229 (1988) 100
Strotmann, H. and D. Lohse, Determination of the H^+/ATP ratio of the H^+ transport-coupled reversible chloroplast ATPase reaction by equilibrium studies 229 (1988) 308
Summ, H.-D. see W. Kramer 229 (1988) 355
Suzuki, K. see M. Minami 229 (1988) 279

Sweet, W.D. and F. Schroeder, Polyunsaturated fatty acids alter sterol transbilayer domains in LM fibroblast plasma membrane 229 (1988) 188

Tagaya, M. see T. Yagami 229 (1988) 261
Tamaki, N. see M. Kikugawa 229 (1988) 345
Tanaka, A. see T. Kurihara 229 (1988) 215
Taylor, S.J. see C.J. Lynch 229 (1988) 54
Thuren, T., A model for the molecular mechanism of interfacial activation of phospholipase A_2 supporting the substrate theory 229 (1988) 95
Tolias, P.P. see R.K. Cameron 229 (1988) 283
Tonevitsky, A.G. see T.L. Bushueva 229 (1988) 119
Torres, M. see E.G. Delicado 229 (1988) 35
Tóth-Boconádi, R. see A. Dér 229 (1988) 313
Travis, J. see Y. Okada 229 (1988) 157
Tsukada, T. see H. Hibasami 229 (1988) 243
Turner, A.J. see N.M. Hooper 229 (1988) 340
Tzinas, G. and J. Argyroudi-Akoyunoglou, Chloramphenicol-induced stabilization of light-harvesting complexes in thylakoids during development 229 (1988) 135

Ueda, M. see T. Kurihara 229 (1988) 215

Venegas, A. see I. Zaror 229 (1988) 77
Venuat, A.-M. see G. Carloni 229 (1988) 333

Wachter, E. see W. Gebhard 229 (1988) 63
Waddell, I.D., J.G. Lindsay and A. Burchell, The identification of T_2; the phosphate/pyrophosphate transport protein of the hepatic microsomal glucose-6-phosphatase system 229 (1988) 179
Wallgren, K. see C. Forsman 229 (1988) 360
Watabe, K. see H.-W. Chou 229 (1988) 349
Watanabe, S. see Y. Okada 229 (1988) 157
Watorek, W. see Y. Okada 229 (1988) 157
Weaver, J.C., G.I. Harrison, J.G. Bliss, J.R. Mourant and K.T. Powell, Electroporation: high frequency of occurrence of a transient high-permeability state in erythrocytes and intact yeast 229 (1988) 30
Westphal, M. see A. Müller-Taubenberger 229 (1988) 273
White, M.F. and L.A. Fothergill-Gilmore, Sequence of the gene encoding phosphoglycerate mutase from *Saccharomyces cerevisiae* 229 (1988) 383
Wicek, D. see B. Hermelin 229 (1988) 161
Widell, S. see C. Larsson 229 (1988) 289
Wisnewsky, C. see D. de la Bastie 229 (1988) 45
Wynn, R.M. and R. Malkin, Characterization of an isolated chloroplast membrane Fe-S protein and its identification as the photosystem I Fe-S_A/Fe-S_B binding protein 229 (1988) 293

Yagami, T., M. Tagaya and T. Fukui, Adenosine di-, tri- and tetraphosphopyridoxals modify the same lysyl residue at the ATP-binding site in adenylate kinase 229 (1988) 261
Yamaguchi, Y. see S. Yanagisawa 229 (1988) 107
Yanagisawa, S., K. Izui, Y. Yamaguchi, K. Shigesada and H. Katsuki, Further analysis of cDNA clones for maize phospho*enol*pyruvate carboxylase involved in C_4 photosynthesis: Nucleotide sequence of entire open reading frame and evidence for polyadenylation of mRNA at multiple sites in vivo 229 (1988) 107
Yayama, K. see N. Itoh 229 (1988) 247
Yeaman, S.J. see A.J. Garton 229 (1988) 68
Yeh, H.J.C., M. Chrzanowska and A. Brossi, The importance of the phenyl-tropolone '*aS*' configuration in colchicine's binding to tubulin 229 (1988) 82
Yu, N.-T. see S.-H. Lin 229 (1988) 367
Yudelevich, A. see I. Zaror 229 (1988) 77

Zaror, I., I. Gómez, G. Castillo, A. Yudelevich and A. Venegas, Molecular cloning and expression in *E. coli* of a *Salmonella typhi* porin gene 229 (1988) 77
Zhen, W., C. Jeppesen and P.E. Nielsen, Psoralen photofootprinting of protein-binding sites on DNA 229 (1988) 73
Zwiller, J. see T. Nilsson 229 (1988) 211